


I certify that this PUBLIC BILL, which originated in the LEGISLATIVE ASSEMBLY, has finally passed the LEGISLATIVE COUNCIL and the LEGISLATIVE ASSEMBLY of NEW SOUTH WALES.

S. G. BOYDELL,
Acting Clerk of the Legislative Assembly.
Legislative Assembly Chamber,
Sydney, 2 March, 1927.

New South Wales.



ANNO SEPTIMO DECIMO

GEORGII V REGIS.

Act No. 29, 1927.

An Act to validate the carrying out of works and to authorise an expenditure in excess of that authorised by the Broken Hill (Umberumberka Creek) Water Supply Act, 1910. [Assented to, 7th March, 1927.]

BE it enacted by the King's Most Excellent Majesty, by and with the advice and consent of the Legislative Council and Legislative Assembly of New South Wales in Parliament assembled, and by the authority of the same, as follows :—

1. This Act may be cited as the "Broken Hill Short title. Water Supply (Validation) Act, 1927."

2.

I have examined this Bill, and find it to correspond in all respects with the Bill as finally passed by both Houses.

R. GREIG,
Chairman of Committees of the Legislative Assembly.

Broken Hill Water Supply (Validation).

Validation
of certain
expenditure.

2. The carrying out of works designed to extend and augment the supply of water for the city and district of Broken Hill, and the expenditure thereon of sums of eighty-four thousand nine hundred and twenty-seven pounds, and the proposed expenditure of sixty-eight thousand and eight pounds, in excess of the amount authorised by the Broken Hill (Umberumberka Creek) Water Supply Act, 1910, is hereby validated.

*In the name and on behalf of His Majesty I assent to
this Act.*

D. R. S. DE CHAIR,
Governor.
Government House,
Sydney, 7th March, 1927.

1927.

Legislative Council.

Broken Hill Water Supply (Validation)
Bill, 1927.

EXPLANATORY MEMORANDUM.

OWING to the continued threat of a water famine at Broken Hill as a result of drought conditions, and the imminence of a suspension of mining operations, and all that would be involved therein, it was necessary to extend and augment the water supply service.

In view of the urgency of the matter the works were put in hand before Parliamentary sanction could be obtained.

The sum of Eighty-four thousand nine hundred and twenty-seven pounds has been expended on additional pumping machinery and on extensions and improvements to the Water Supply generally. The sum of Sixty-eight thousand and eight pounds has been or is proposed to be expended on duplication of the Hathorn Davey pumping plant and an additional service reservoir.

WILLIAM H. HARRISON, III
1801


WILLIAM HARRISON, III

WILLIAM HARRISON, III
1801

This PUBLIC BILL originated in the LEGISLATIVE ASSEMBLY,
and, having this day passed, is now ready for presentation to the
LEGISLATIVE COUNCIL for its concurrence.

S. G. BOYDELL,
For Clerk of the Legislative Assembly.
Legislative Assembly Chamber,
Sydney, 24 February, 1927.

New South Wales.



ANNO SEPTIMO DECIMO

GEORGII V REGIS.

Act No. , 1927.

An Act to validate the carrying out of works
and to authorise an expenditure in excess
of that authorised by the Broken Hill
(Umberumberka Creek) Water Supply Act,
1910.

BE it enacted by the King's Most Excellent Majesty,
by and with the advice and consent of the Legis-
lative Council and Legislative Assembly of New South
Wales in Parliament assembled, and by the authority of
5 the same, as follows :—

1. This Act may be cited as the "Broken Hill Short title.
Water Supply (Validation) Act, 1927."

Broken Hill Water Supply (Validation).

2. The carrying out of works designed to extend and augment the supply of water for the city and district of Broken Hill, and the expenditure thereon of sums of eighty-four thousand nine hundred and twenty-seven pounds, and the proposed expenditure of sixty-eight thousand and eight pounds, in excess of the amount authorised by the Broken Hill (Umberumberka Creek) Water Supply Act, 1910, is hereby validated.

Sydney: Alfred James Kent, Government Printer—1927.

[4d.]