






2004-2005 Prescribed Burns

Source: Esri, DigitalGlobe, GeoEye, Irbid, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community




2005-2006 Prescribed Burns

Source: Esri, DigitalGlobe, GeoEye, IGN, Earthstar, Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community




2006-2007 Prescribed Burns

Source: Esri, DigitalGlobe, GeoEye, Ikonos, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community




2007-2008 Prescribed Burns

Source: Esri, DigitalGlobe, GeoEye, IGN, Earthstar, Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



2008-2009 Prescribed Burns

Source: Esri, DigitalGlobe, GeoEye, IGN, Earthstar, Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



2010-2011 Prescribed Burns

Source: Esri, DigitalGlobe, GeoEye, IGN, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community